



ITEM	QTY -041 KIV	QTY -041 KGY	PART NUMBER	DESCRIPTION
	X		D3967-041KIV	REAR OVERHEAD CENTER WITH DUCT (IVORY)
		X	D3967-041KGY	REAR OVERHEAD CENTER WITH DUCT (STEEL GRAY)
1	1		D3967-1KIV	REAR OVERHEAD CENTER (IVORY)
2		1	D3967-1KGY	REAR OVERHEAD CENTER (STEEL GRAY)
3	1		D3967-3KIV	DUCT, REAR OVERHEAD CENTER (IVORY)
4		1	D3967-3KGY	DUCT, REAR OVERHEAD CENTER (STEEL GRAY)
10	A/R	A/R	EZ250150	ADHESIVE, 3M SCOTCH WELD



- NOTES:**
- 1) MATERIAL: SEE TABLE
  - 2) FINISH: N/A
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N D3967-041KIV OR D3967-041KGY USING VIBRATING STYLUS
  - 7) WEIGHT: 10.6 lbs
  - 8) TRIM D3967-3 DUCT AS REQUIRED TO ALLOW PROPER MATING
  - 9) SEAL MATING EDGES WITH EZ250150 ADHESIVE ALONG MATING PERIMETER WITH MINIMUM THICKNESS OF 0.020"
  - 10) RUN BEAD OF EZ250150 ADHESIVE BETWEEN PARTS ALONG INDICATED "-----" CORNERS WITH MINIMUM THICKNESS OF 0.020"

B	ADD -3/-041	PH	09.12.15
A	NEW ISSUE	PH	09.06.18
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	PH		
CHECKED	qp	DRAWING NO.	REV. B
MFG. APPR.	MD	D3967	SHEET 1 OF 3
APPROVED	MD	TITLE	SCALE
DE APPR.	MD	REAR OVERHEAD CENTER (206 L3/L4)	NTS
DATE	09.12.15	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



**D3967-1 REAR OVERHEAD CENTER**


**NOTES:**

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 5.6 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9340 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.045" UNLESS OTHERWISE NOTED

PART NUMBER	DESCRIPTION
D3967-1KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3967-1KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

DESIGN	PH	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	PH		
CHECKED	q	DRAWING NO.	REV. B
MFG. APPR.		D3967	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		REAR OVERHEAD CENTER (206 L3/L4)	NTS
DATE	09.12.15	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

**RELEASED**  
2010-01-06  
*Map*



**D3967-3 DUCT, REAR OVERHEAD CENTER**

**RELEASED**  
2010-01-06  
*W*

**NOTES:**

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 5.0 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9339 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.025" UNLESS OTHERWISE NOTED

PART NUMBER	DESCRIPTION
D3967-3KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3967-3KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

DESIGN	<i>PH</i>	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>PH</i>		
CHECKED	<i>Q</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>LY</i>	D3967	SHEET 3 OF 3
APPROVED	<i>W</i>	TITLE	SCALE
DE APPR.	<i>W</i>	REAR OVERHEAD CENTER (206 L3/L4)	NTS
DATE	09.12.15	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	